

RECEIVED
CENTRAL FAX CENTER

MAR 03 2006

FERENCE & ASSOCIATES

409 Broad Street
Pittsburgh, Pennsylvania 15143
Phone: (412) 741-8400
Fax: (412) 741-9292
Web: www.ferencelaw.com

USPTO FACSIMILE COVER SHEET

To: Commissioner for Patents ATTN: Certificate of Correction Branch
Fax Number: (571) 273-8300
Date: March 3, 2006
Pages: 3 pages (including this cover sheet)

09 654 097

MESSAGE:

METHOD AND APPARATUS FOR CONTINUOUS SEPARATION AND REACTION
USING SUPERCRITICAL FLUID

Patent No. 6,821,413 B1

Request for Corrected Patent (Please correct spelling error in Inventor's last name and issue a new corrected patent).

Our File No. 572.007

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, MAY CONSTITUTE INSIDE INFORMATION, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL.

IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR,
PLEASE IMMEDIATELY NOTIFY US ON (412) 741-8400.

Atty. Docket No. 572.007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


**RECEIVED
CENTRAL FAX CENTER****MAR 03 2006**

Inventor : Alkhalidi
Patent No. : 6,821,413 B1
Issue Date: November 23, 2004
For : METHOD AND APPARATUS FOR CONTINUOUS
SEPARATION AND REACTION USING
SUPERCRITICAL FLUID

March 3, 2006

REQUEST FOR CORRECTED PATENT

I hereby certify that this correspondence and any documents referred to as enclosed therewith are being transmitted by facsimile to the Commissioner for Patents on facsimile number (571) 273-8300 on March 3, 2006.


Stanley D. Ference III
Reg. No. 33,879

March 3, 2006
Date of Signature

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

It has come to the Patentee's attention that a significant error is contained in the issued patent identified above. Specifically, the inventor's name is incorrectly spelled.

The correct spelling of the inventors name is **Abdulhaq E. Alkhalidi**. (The last letter of the inventor's name is an "I" not an "L")


Atty. Docket No. 572.007

It appears in this instance, the inventor's name had been correctly set forth at the time of filing the application, however, the Office incorrectly entered the inventor's name into its records. Unfortunately, the error was not identified before the patent issued.

In light of the significant problems associated with a patent having the sole inventor's name incorrectly printed thereon, the inventor respectfully requests the Director exercise his authority under 35 USC 254 (37 CFR 1.322) and issue a corrected patent based on the nature of the mistake and in lieu of issuing a certificate of correction, which fails to adequately remedy the situation.

The inventor and the undersigned counsel appreciate the Office's assistance in this matter. If there are any further issues in regard to this request, the Office is invited to contact the inventor's counsel at the telephone number listed below.

Respectfully submitted,



Stanley D. Ference III
Registration No. 33,879

Customer No. 35195
FERENCE & ASSOCIATES
409 Broad Street
Pittsburgh, Pennsylvania 15143
(412) 741-8400
(412) 741-9292 - Facsimile

Attorney for Applicant